

POWER TOOLS

GARDEN TOOLS

OTHER TOOLS



HARDWARE TOOLS MANUFACTURER 2019-2020

THE POWER IS ON YOUR HAND

WWW.MEKKAN.CC

MK-82107 Hand Drill



- Rated Power: 400W
- No load speed: 0-2800rpm
- Chuck size: Ø10mm

MK-82117 Hand Drill



- Rated Power: 400W
- No load speed: 0-2800rpm
- Chuck size: Ø10mm

MK-82104 Hand Drill



- Rated Power: 400W
- No load speed: 0-2800rpm
- Chuck size: Ø10mm

MK-82105 Hand Drill



- Rated Power: 400W
- No load speed: 0-2800rpm
- Chuck size: Ø10mm

MK-82102 Torque Drill (MK-82106)



- Rated Power: 280W
- No load speed: 0-750rpm (0-350/0-950rpm)
- Chuck size: Ø10mm

MK-82103 Torque Drill (MK-82118)



- Rated Power: 280W
- No load speed: 0-750 rpm (0-350/0-950rpm)
- Chuck size: Ø10mm

MK-82109 Torque Drill



- Rated Power: 280W
- No load speed: 0-750 rpm
- Chuck size: Ø10mm

MK-82110 Torque Drill (MK-82111)



- Rated Power: 280W
- No load speed: 0-350/0-950rpm
- Chuck size: Ø10mm

MK-82113 Torque Drill (MK-82114)



- Rated Power: 120W
- No load speed: 0-750rpm (0-310/0-880rpm)
- Chuck size: Ø10mm

MK-82115 Torque Drill (MK-82116)



- Rated power: 280W.
- No load speed: 0-800rpm (0-370/0-1050rpm)
- Chuck size: Ø10mm

MK-10701 Cordless Drill (MK-10702) (MK-10704)



- D.C. 10.8V
- D.C. 10.8V
- D.C. 14.4V
- No-load speed: 0-550rpm (0-350/0-1250rpm)(0-350/0-1250rpm)
- Chuck size: Ø10mm
- Max. torque: 19N.m

MK-10712 Cordless Drill (MK-10714)(MK-10718)



- D.C. 10.8V
- D.C. 14.4V
- D.C. 18.0V
- No-load speed: 0-350/0-1250rpm
- Chuck size: Ø10mm
- Max. torque: 23N.m

MK-10729 Cordless Angle Grinder



- D.C. 18.0V
- No-load speed: 0-8000rpm
- Disc diameter: Ø115 / 125mm

MK-10730 Cordless Hammer



- D.C. 18.0V
- No-load speed: 0-900rpm
- Impact rate: 0 - 4500 min⁻¹
- Brushless motor

MK-10731 Cordless Blower



- D.C. 18.0V
- No-load speed: 0-13000rpm
- Air volume: 1.6-2.8 m³/min

MK-10732 Cordless Polisher



- D.C. 10.8V
- No-load speed: 0-3000rpm
- Pad size: Ø80/100mm

MK-10733 Cordless Reciprocating Saw



- D.C. 10.8V
- No-load speed: 0-3000rpm
- Stroke: 13mm

MK-10734 Cordless Reciprocating Saw



- D.C. 18.0V
- No-load speed: 0-3000rpm
- Stroke: 20mm

MK-10735 Cordless Circular Saw



- D.C. 18.0V
- No-load speed: 4500rpm
- Blade Diameter: Ø165mm
- Max. cut depth: 57mm
- Brushless motor

MK-10736 Cordless Impact Wrench



- D.C. 18.0V
- No-load speed: 0-2000rpm
- Impact rate: 0 - 2400 min⁻¹
- Max. torque: 260NM

MK-82201 Electric Drill



- Rated Power: 1050W
- No load speed: 0-550rpm
- Chuck size: Ø13mm

MK-82202 Electric Drill



- Rated Power: 1050W
- No load speed: 0-1300rpm
- Chuck size: Ø13mm

**MK-82203 Impact Drill
(MK-82204)**



- Rated Power: 550W (650W)
- No load speed: 0-2800rpm
- Chuck size: Ø13mm

**MK-82221 Impact Drill
(MK-82222)(MK-82223)
(MK-82224)**



- Rated Power: 650W/810W
910W/1050W
- No load speed: 0-3000rpm
- Chuck size: Ø13mm

**MK-82206 Impact Drill
(MK-82206B)**



- Rated Power: 710W (810W)
- No load speed: 0-3000rpm
- Chuck size: Ø13mm

**MK-82207 Impact Drill
(MK-82207B)**



- Rated Power: 710W (810W)
- No load speed: 0-3000rpm
- Chuck size: Ø13mm

**MK-82208 Impact Drill
(MK-82208B)**



- Rated Power: 550W (650W)
- No load speed: 0-3000rpm
- Chuck size: Ø13mm

MK-82209 Electric Drill



- Rated Power: 1050W
- No load speed: 600-2000rpm
- Chuck size: Ø13mm

MK-82215 Impact Drill



- Rated Power: 1100W
- No load speed: 0-1100/0-3000rpm
- Chuck size: Ø13mm

MK-82216 Impact Drill



- Rated Power 1200W
- No load speed: 0-800/0-2000rpm
- Chuck size: Ø16mm

**MK-82303SS Angle Grinder
(MK-82303VS)**



- Rated Power: 1100W
- No load speed: 11000 rpm
(0-11000rpm)
- Disc Diameter: Ø125mm

**MK-82310 Angle Grinder
(MK-82305)**



- Rated Power: 710W / 810W
- No load speed: 11000rpm
- Disc Diameter: Ø115/125mm

**MK-82320 Angle Grinder
(MK-82320R)**



- Rated Power: 850W
- No load speed: 10500rpm
- Disc Diameter: Ø115/125mm

**MK-82317SS Angle Grinder
(MK-82317VS)**



- Rated Power: 860W
- No load speed: 11000rpm
0-11000rpm
- Disc Diameter: Ø115/125mm

**MK-82302SS Angle Grinder
(MK-82302VS)**



- Rated Power: 1400W
- No load speed: 8000rpm
(1600 - 8000 rpm)
- Disc Diameter: Ø150/180mm

**MK-82318SS Angle Grinder
(MK-82318VS)**



- Rated Power: 1200W
- No load speed: 8000rpm
(1600 - 8000 rpm)
- Disc Diameter: Ø150/180mm

**MK-82319 Angle Grinder
(MK-82319B)**



- Rated Power: 2350W
- No load speed: 6500rpm
- Disc Diameter: Ø230mm

MK-82321 Angle Grinder



- Rated power: 2000W
- No load speed: 6500rpm
- Disc Diameter: Ø230mm

MK-81201 Polisher



- Rated Power: 1050W
- No load speed: 600-2000rpm
- Disc Diameter: Ø150mm

MK-81202 Angle Polisher



- Rated Power: 1200W
- No load speed: 0-3000rpm
- Disc Diameter: Ø180mm

MK-81203 Angle Polisher



- Rated Power: 1800W
- No load speed: 0-3000rpm
- Disc Diameter: Ø180mm

MK-81204 Angle Polisher



- Rated Power: 1400W
- No load speed: 0-3000rpm
- Disc Diameter: Ø180mm

MK-81206 Wire Drawing Polisher



- Rated Power: 1400W
- No load speed: 0-3000rpm
- Disc Diameter: Ø120*100mm

MK-81002 Wall Chaser



- Rated Power: 2000W
- No load speed: 4800rpm
- Blade Diameter: Ø230mm

MK-81001 Marble Cutter



- Rated Power: 1300W
- No load speed: 13000rpm
- Blade Diameter: Ø110mm

MK-82402 Circular Saw



- Rated Power: 2000W
- No load speed: 6000rpm
- Blade Diameter: Ø205mm

MK-82403B Circular Saw



- Rated Power: 2000W
- No load speed: 6000rpm
- Blade Diameter: Ø200mm

MK-82406 Circular Saw



- Rated Power: 1500W
- No load speed: 5000rpm
- Blade Diameter: Ø185mm

MK-82407 Circular Saw (MK-82407B)(MK-82407BL)



- Rated Power: 1300W
- No load speed: 4800rpm
- Blade Diameter: Ø185/190mm
- Iron Base (Aluminum base Laser guide)

MK-82408 Circular Saw



- Rated Power: 2000W
- No load speed: 4600rpm
- Blade Diameter: Ø210mm

MK-82409 Circular Saw (MK-82409B)(MK-82409BL)



- Rated Power: 1300W
- No load speed: 4800rpm
- Blade Diameter: Ø165mm

MK-82502 Jig Saw



- Rated Power: 710W
- No load speed: 0-2900rpm
- Depth of Cut: 6mm(steel)
80mm(wood)

MK-82511 Jig Saw



- Rated Power: 500W
- No-load speed: 3000rpm
- Depth of Cut: 6mm (steel)
55mm(wood)

MK-82512 Jig Saw



- Rated Power: 700W
- No-load speed: 800-3000rpm
- Depth of Cut: 8mm (steel)
65mm(wood)

MK-82513 Jig Saw



- Rated Power: 900W
- No-load speed: 3000rpm
- Depth of Cut: 10mm (steel)
100mm(wood)

MK83303 Reciprocating Saw



- Rated Power: 1050W
- No load speed: 800-2700rpm
- Reciprocating stroke: 26mm

MK-82801 Electric Planer



- Rated Power: 2000W
- No load speed: 15000rpm.
- Planing width: 110mm.
- Planing depth: 3.5mm

MK-82802 Electric Planer



- Rated Power: 1200W
- No load speed: 15000rpm
- Planing width: 82mm.
- Planing depth: 2.0mm

MK-82803 Electric Planer (MK-82803B)



- Rated Power: 1100W
- No load speed: 14500rpm
- Planing width: 110mm
- Planing depth: 3mm

MK-82804 Electric Planer (MK-82804B)



- Rated Power: 710W
- No load speed: 14500rpm
- Planing width: 82mm
- Planing depth: 2mm

MK-82805 Electric Planer (MK-82808)



- Rated Power: 1100W
- No load speed: 14500rpm
- Planing width: 110mm
- Planing depth: 3mm

MK-82806 Electric Planer



- Rated Power: 600W
- No load speed: 16000rpm
- Planing width: 82mm
- Planing depth: 2mm

MK-82807 Electric Planer



- Rated Power: 600W
- No load speed: 16000rpm
- Planing width: 82mm
- Planing depth: 2mm

MK-83101 Trimmer



- Rated Power: 710W
- No load speed: 13000-33000rpm
- Chuck diameter: Ø 6mm

MK-83103 Electric Router



- Rated Power: 1200W
- No load speed: 16000-30000rpm
- Chuck diameter: Ø6/8mm

MK-83104 Electric Router



- Rated Power: 1500W
- No load speed: 16000-30000rpm
- Chuck diameter: Ø8/12mm

MK-82602 1/4 Sheet Sander



- Rated Power: 240W
- No load speed: 15000rpm
- Pad size: 104X112mm

MK-82603 1/3 Sheet Sander



- Rated Power: 260W
- No Load Speed: 13000rpm
- Pad Size: 90 X 187mm

MK-82604 Rotary Sander



- Rate Power: 270W
- No Load Speed: 5000-12000rpm
- Pad size: Ø125mm

MK-82605 Belt Sander



- Rated Power: 1010W
- Belt size: 76*533mm
- No load speed: 120-380m/min

MK-82606 Belt Sander



- Rated Power: 600W
- Belt Size: 76*457mm
- No load speed: 260m/min

MK-81301 Mixer (MK-81302)



- Rated Power: 1300W
- No load speed: 0-800 rpm (0-500/0-700 rpm)
- Mixing Rod Diameter: Ø120mm

MK-81308 Mixer



- Rated Power: 1600W
- Torque: 10.24NM
- No load speed: I 0-580r/min II 0-800r/min
- Mixing rod dia.: Ø120mm

MK-81503 Rotary Hammer



- Rated Power: 620W
- No load speed: 0-1000rpm
- Impact rate: 0-4850 min⁻¹
- Max drilling Capacity: Ø24mm
- Impact energy: 2.2J
- SDS Plus

MK-81504 Rotary Hammer



- Rated power: 650W
- No load speed: 0-950rpm
- Impact rate: 0-4800min⁻¹
- Max drilling capacity: Ø24mm
- Impact energy: 2.8J
- SDS Plus

MK-81505 Rotary Hammer



- Rated power: 900W
- No load speed: 0-1000rpm
- Impact rate: 0-5500 min⁻¹
- Max drilling Capacity: Ø26mm
- Impact energy: 3.2J
- SDS Plus

MK-81506 Rotary Hammer



- Rated Power: 620W
- No load speed: 0-1000rpm
- Impact rate: 0-4850 min⁻¹
- Max drilling Capacity: Ø24mm
- Impact energy: 2.2J
- SDS Plus

MK-81608 Rotary Hammer



- Rated Power: 1500W
- No load speed: 0-850rpm
- Impact rate: 0-4700min⁻¹
- Max drilling capacity: Ø32mm
- Impact energy: 6.0J
- SDS Plus

MK-81609 Rotary Hammer



- Rated Power: 1800W
- No load speed: 820rpm
- Impact rate: 4000min⁻¹
- Max drilling capacity: Ø36mm
- Impact energy: 6.0J
- SDS Plus

MK-81626 Rotary Hammer



- Rated Power: 1050W
- No-load speed: 950rpm
- Impact rate: 4250min⁻¹
- Max drilling capacity: Ø26mm
- Impact energy: 4.5J
- SDS Plus

MK-81630 Rotary Hammer



- Rated Power: 1500W
- No load speed: 870rpm
- Impact rate: 4100min⁻¹
- Max drilling capacity: Ø32mm
- Impact Energy: 5.0J
- SDS Max

MK-81801 Demolition Hammer



- Rated Power: 1300W
- Impact rate: 3600min⁻¹
- Impact Energy: 18J
- SDS Max

MK-81802 Demolition (MK-81803) Hammer



- Rated Power: 1500W (1700W)
- No load speed: 1850min⁻¹
- Impact Energy: 45J (60J)

MK-81101 Hand Held Concrete Vibrator



- Rated Power: 1200W
- No load speed: 4500rpm

MK-82901 Hot Air Gun



- Rate Power: 2000W
- Air Flow: 300/500 L/min
- Temperature: 350/550°C

MK-82902 Hot Air Gun



- Rate Power: 2000W
- Air Flow: 350/350/500 L/min
- Temperature: 50/50-550/550°C

MK-82911 PPR Welder



- Rated Power: 1500W
- Temperature: 0-300°C
- Socket Size: 20/25/32/40/50/63mm

MK-82912 PPR Welder



- Rated Power: 800W
- Temperature: 0-300°C
- Socket Size: 20/25/32/40/50/63mm

MK-81701 Solenoid Spray Gun



- Rated Power: 80W
- Max. Flow: 260ml/min
- Paint Reservoir: 800ml
- Max. Viscosity: 30 din/sec

MK-81702 HVLP Spray Gun



- Rated Power: 400W
- Max. Flow: 260ml/min
- Paint Reservoir: 700ml
- Max. Viscosity: 60 din/sec

MK-81703 HVLP Floor Based Spray Gun



- Rated Power: 500W
- Paint Reservoir: 800ml
- Max. Flow: 700ml/min
- Max. Viscosity: 50din/sec
- Nozzle: Ø2.6mm

MK-81731 Electric Blower



- Rated Power: 680W
- Max. Flow: 0-4.1m³/min
- No load speed: 0-16000rpm

MK-81401 Chain Saw Sharpener



- Rated Power: 120W
- No load speed: 4000rpm
- Blade diameter: Ø100mm

MK-81411 Electric Multi-task Sharpener



- Rated Power: 65W
- No load speed: 4800/6700rpm

MK-82701 Rotary Tool Set



- 234pcs Accessory Set

MK-82702 Rotary Tool Set



- 40pcs Accessory Set

MK-82705 Rotary Tool Set



- 100pcs Accessory Set

MK-82706 Rotary Tool Set



- 162pcs Accessory Set

MK-82709 Rotary Tool Set



- 214pcs Accessory Set

MK-82732 Rotary Tool



- Rated Power: 135W
- No load speed: 8000~30000rpm
- Collet size: Ø2.4/3.2mm

MK-82733 Rotary Tool



- Rated Power: 160W
- No load speed: 10000~35000rpm
- Collet size: Ø2.4/3.2mm

MK-82734 Rotary Tool



- Rated Power: 170W
- No load speed: 8000~35000rpm
- Collet size: Ø2.4/3.2mm

MK-82741 Die Grinder



- Rated Power: 750W
- No load speed: 28000rpm
- Collet size: Ø6mm

MK-82721 Multi-Tool




- Rated Power: 260W,
- No load speed: 15000-23000rpm
- Oscillating Degree: 3°

MK-83203 Impact Wrench




- Rated Power: 1100W
- No load speed: 2200rpm
- Torque: 450NM
- 1/2" square connector

**MK-60101 Bench Grinder
(MK-60102)**



- Rated Power: 150W (250W)
- No-load speed: 2950rpm
- Wheel size: Ø125*16*Ø12.7mm
(Ø150*20*Ø12.7mm)

MK-60103 Bench Grinder



- Rated Power: 350W
- No-load speed: 2950rpm
- Wheel size: Ø200*20*Ø16mm

**MK-61001 Mitre Saw
(MK-61002)**



- Rated Power: 1400W (1800W)
- No load speed: 5000rpm
- Blade dia: Ø210mmX25.4mmX24T
(Ø255mmX25.4mmX36T)

**MK-61011 Slide Mitre Saw
(MK-61012)(MK-61013)**



- Rated Power: 1500W (2100W) (2100W)
- No load speed: 5000rpm
- Blade dia: Ø210mmX25.4mmX24T
(Ø255mmX25.4mmX36T)
(Ø305mmX30mmX 60T)

MK-62001 Cut Off Machine



- Rated Power: 1200W
- No-load speed: 5000rpm
- Wheel size: Ø180mm

MK-62002 Cut Off Machine



- Rated Power: 2000W
- No load speed: 3800rpm
- Wheel dia: Ø355mm

MK-62003 Cut Off Machine



- Rated Power: 2000W
- No load speed: 3800rpm
- Wheel dia: Ø400mm

**MK-21160 Welding Machine
(MK-21180)(MK-21200)**



- Rated Power: 7.2KVA (8.4KVA) (9.6KVA)
- No-load voltage: 60V
- Usable electrode: 2.0-3.0mm
(2.0-4.0mm) (2.0-5.0mm)

**MK-21121 Welding Machine
(MK-21161)**



- Rated Power: 4.1KW
- Output current (MMA): 30-90A (30-140A)
- Output current (MIG): 40-120A (40-140A)
- Duty cycle: 60%
- Efficiency: 80%

**MK-21201 Welding Machine
(MK-21241)**



- Rated Power: 4.1KW
- Output current (MMA): 30-160A (30-180A)
- Output current (MIG): 40-160A (40-180A)
- Duty cycle: 60%
- Efficiency: 80%

MK-22001 Welding Helmet



- Viewing Area: 90 x 35mm
- Cartridge Size: 110 x 90 x 10mm
- Light State: Shade DIN 4
- Dark State: Shade DIN 9-13
- Operating Temperature: -5°C-55°C

MK-13010 Clean Water Pump



- Rated Power: 250W
- Max. discharge Flow Rate: 4000L/H
- Max. delivery Height: 6m
- Max. submersion Depth: 5m

MK-13011 Clean Water Pump



- Rated Power: 400W
- Max. Discharge Flow Rate: 5800L/H
- Max. Delivery Height: 7m
- Max. Submersion Depth: 5m

MK-13012 Clean Water Pump



- Rated Power: 400W
- Max. Discharge Flow Rate: 7000L/H
- Max. Delivery Height: 7.5m
- Max. Submersion Depth: 7m

MK-13013 Clean Water Pump



- Rated Power: 550W
- Max. Discharge Flow Rate: 9500L/H
- Max. Delivery Height: 7m
- Max. Submersion Depth: 7m

MK-13014 Clean Water Pump



- Rated Power: 750W
- Max. Discharge Flow Rate: 12500l/h
- Max. Delivery Height: 8m
- Max. Submersion Depth: 7m

MK-13015 Dirty Water Pump



- Rated Power: 1100W
- Max. Discharge Flow Rate: 19000l/h
- Max. Delivery Height: 9.5m
- Max. Submersion Depth: 7m

MK-13021 Dirty Water Pump



- Rated Power: 400W
- Max. Discharge Flow Rate: 7500l/h
- Max. Delivery Height: 5m
- Max. Submersion Depth: 5m

MK-13022 Dirty Water Pump



- Rated Power: 750W
- Max. Discharge Flow Rate: 13000l/h
- Max. Delivery Height: 9m
- Max. Submersion Depth: 7m

MK-13041 Garden Pump (MK-13042)



- Rated Power: 600W (800W)
- Max. Discharge Flow Rate: 2800 (3200)l/h
- Max. Delivery Height: 35 (40)m
- Max. Sucking Depth: 7 (8) m

MK-13051 Garden Pump (MK-13052)



- Rated Power: 600W (800W)
- Max. Discharge Flow Rate: 2800 (3200)l/h
- Max. Delivery Height: 35 (40)m
- Max. Sucking Depth: 7 (8) m

MK-13061 Circulation Pump (MK-13062)



- Rated Power: 0.01KW
- Max. Flow: 35 l/min
- Max. Head: 4m (6m)

MK-13071 Circulation Pump (MK-13072)



- Rated Power: 0.01KW
- Max. Flow: 35 l/min
- Max. Head: 4m (6m)

MK-13081 Automatic Pump (MK-13082)



- Rated Power: 0.125KW (0.37KW)
- Max. Flow: 30 l/min (40l/min)
- Max. Head: 21m (30m)

MK-13091 Centrifugal Pump (MK-13092)



- Rated Power: 0.37KW (0.55KW)
- Max. Flow: 25 l/min (40l/min)
- Max. Head: 18m (35m)

MK-13101 Vibration Pump



- Rated Power: 0.25KW
- Max. Flow: 14 l/min
- Max. Head: 60m

MK-13102 Vibration Pump




- Rated Power: 0.25KW
- Max. Flow: 14 l/min
- Max. Head: 60m

MK-13103 Vibration Pump



- Rated Power: 0.25KW
- Max. Flow: 14 l/min
- Max. Head: 60m

MK-14010 Gasoline Earth Auger



- Rated Power: 1.6KW/7500rpm
- Displacement: 52cc
- Idling Speed: 3000 ± 200 r/min
- Bit Diameter: 100/150/200 mm

MK-11001 Gasoline Chain Saw



- Rated Power: 0.9KW/7500rpm
- Displacement: 25.4cc
- Idling Speed: 3000 ± 200 rpm
- Fuel Tank Capacity: 230ml
- Engine Oil Tank Capacity: 160ml
- Guide bar: 12"

MK-11002 Gasoline Chain Saw



- Rated Power: 1.2KW/7500rpm
- Displacement: 37.2cc
- Idling Speed: 3000 ± 200rpm
- Fuel tank Capacity: 310ml
- Engine Oil Tank Capacity: 210ml
- Guide Bar: 16"

MK-11010 Gasoline Chain Saw (MK-11011)(MK-11012)



- Rated Power 1.8/2.0/2.2KW/7500rpm
- Displacement: 45cc/52cc/58cc
- Idling Speed: 3000 ± 200 rpm
- Fuel Tank Capacity: 600ml
- Engine Oil Tank Capacity: 260ml
- Guide bar: 18"

MK-11020 Gasoline Chain Saw (MK-11021)(MK-11022)



- Rated Power: 1.8/2.0/2.2KW/7500rpm
- Displacement: 45cc/52cc/58cc
- Idling Speed: 3000 ± 200rpm
- Fuel Tank Capacity: 560ml
- Engine Oil Tank Capacity: 260ml
- Guide Bar: 18"

MK-11030 Gasoline Chain Saw (MK-11031)(MK-11032)



- Rated Power: 1.8/2.0/2.2KW/7500rpm
- Displacement: 45cc/52cc/58cc
- Idling Speed: 3000 ± 200 rpm
- Fuel Tank Capacity: 560ml
- Engine Oil Tank Capacity: 260ml
- Guide Bar: 18"

MK-12160 Gasoline Brush Cutter



- Rated Power: 1.6KW/7500rpm
- Displacement: 52cc
- Idling Speed: 3000 ± 200 rpm
- Fuel Tank Capacity: 1150ml
- Working Pole Diameter: 26mm

MK-12260A Gasoline Brush Cutter



- Rated Power: 0.75KW/6500rpm
- Displacement: 26cc
- Idling Speed: 3000 ± 200 rpm
- Fuel Tank Capacity: 900ml
- Working Pole Diameter: 26mm

MK-12330A Gasoline Brush Cutter (12430A)(12520A)



- Rated Power: 0.9/1.25/1.4KW/6500rpm
- Displacement: 33cc/43/52cc
- Idling Speed: 3000 ± 200 rpm
- Fuel tank Capacity: 900ml
- Working Pole Diameter: 26mm

MK-12319 Gasoline Brush Cutter



- Rated Power: 0.7KW/6500rpm
- Displacement: 31cc
- Idling Speed: 3000 ± 200 rpm
- Fuel Tank Capacity: 700ml
- Four Stroke Engine

MK-12051 Electric Brush Cutter



- Rated Power: 1400W
- No-Load Blade Speed: 10000rpm
- Max Cutting Length: 430mm
- Working Pole Diameter: 26mm

MK-12052 Electric Brush Cutter



- Rated Power: 1400W
- No-Load Blade speed: 10000rpm
- Max Cutting Length: 430mm
- Working Pole Diameter: 26mm

MK-12053 Electric Brush Cutter



- Rated Power: 1400W
- No-Load Blade Speed: 10000rpm
- Max Cutting Length: 430mm
- Working Pole Diameter: 26mm

MK-41001 Air Gun Set



- 5pcs Spray Gun Set
- 5m Hose
- Quick coupler

MK-41002 Air Gun Set



- 5pcs Spray Gun Set
- 5m Hose
- Quick coupler

MK-41101 Air Compressor



- Rated Power: 1.0KW
- No-load Speed: 2800rpm
- Tank Volume: 18L
- Air flow: Max. 160L/m

MK-41102 Air Compressor



- Rated Power: 1.2KW
- No-load Speed: 2800rpm
- Tank Volume: 37L
- Air flow: Max. 206L/m

MK-41103 Air Compressor



- Rated Power: 2.0KW
- No-load Speed: 2800rpm
- Tank Volume: 37L
- Air flow: Max. 356L/m

MK-71001 Hand Tool Set

For Home Use
9pcs Set



MK-71002 Hand Tool Set

For Home Use
39pcs Set



MK-71003 Hand Tool Set

For Workshop Use
21pcs Set



MK-71031 Hand Tool Set

For Electric Use
33pcs Set



MK-71051 Hand Tool Set

For Machinery Use
95pcs Set



MK-92701 Rotary Tool Accessory

71pcs Set




MK-92703 Rotary Tool Accessory

137pcs Set



MK-92704 Rotary Tool Accessory

249pcs Set



MK-92705 Rotary Tool Accessory

120pcs Set



Saw MK-931XX



Bar MK-933XX

HSS Twist Drill Bit MK-903XX



Wood Flat Drill Bit MK-905XX




Jig Saw Blade MK-907XX




Router Bit MK-909XX



TCT Saw Blade MK-901XX



Diamond Cutting Disc MK-915XX



Diamond Cup Grinding Wheel MK-917XX



Abrasive Cutting Disc MK-929XX

Abrasive Grinding Disc MK-930XX



SDS Drill Bit MK-911XX

SDS Chisel Bit MK-913XX

SDS Shank Connector MK-914XX



Concrete Core Bit MK-919XX



Hole Saw & Arbor Drill MK-921XX



Wire Brush MK-923XX



Plastic Foam Backing Pad MK-925XX



Sanding Paper & Disc MK-927XX

